

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Cancelled).
2. (Currently amended) An apparatus according to ~~claim 1~~ claim 6, wherein the processing corresponding to the subaddress includes bulletin board processing for allowing the stored image data to be accessible without a limit and the processing registered in the second corresponding table constitutes the bulletin board processing.
3. (Original) An apparatus according to claim 2, wherein the image data stored in the second storage box is overwritten on previously stored image data.
4. (Currently amended) An apparatus according to ~~claim 1~~ claim 6, wherein the communication terminal apparatus is connected to a network server via a network, the processing corresponding to the subaddress includes network retaining processing for retaining a received facsimile via the network into the network server, and the processing registered in the second corresponding table constitutes the network retaining processing.
5. (Original) An apparatus according to claim 4, wherein the storage section adds image data of a received facsimile to the network server.
6. (Currently amended) ~~An apparatus according to claim 1,~~ A communication terminal apparatus for receiving a facsimile with an attached F code containing a subaddress and performing processing corresponding to the subaddress, comprising:
  - a first corresponding table which has respective registered processing corresponding to a respective subaddress;
  - a plurality of first storage boxes which stores image data of a facsimile with an attached F code containing a subaddress registered in the first corresponding table;
  - a second corresponding table which contains registered processing corresponding to a facsimile with an attached F code having a subaddress not registered in the first corresponding table;

a second storage box which stores image data of the facsimile with an attached F code having a subaddress not registered in the first corresponding table;

a receiving section which receives a facsimile via a communication circuit;

a temporary storage section which temporarily stores the facsimile received by the receiving section;

a first deciding section which decides whether or not any F code is contained in the facsimile stored in the temporary storage section;

a second deciding section which, if an F code is contained in the facsimile, decides whether or not a subaddress in the F code is registered in the first corresponding table;

a storage section which, if the subaddress in the F code is not registered in the first corresponding table, stores the image data of the facsimile stored in the temporary storage section into the second storage box; and

a performing section which performs processing registered in the second corresponding table,

wherein a password is registered in the first corresponding table in a way to correspond to the subaddress, and, if a password is contained in the F code, the second deciding section decides whether or not the password in the F code is registered in the first corresponding table, and, if the password in the F code is not registered in the first corresponding table, the storage section stores the image data of the facsimile in the second storage box.

7. (Currently amended) ~~An apparatus according to claim 2,~~ A communication terminal apparatus for receiving a facsimile with an attached F code containing a subaddress and performing processing corresponding to the subaddress, comprising:

a first corresponding table which has respective registered processing corresponding to a respective subaddress;

a plurality of first storage boxes which stores image data of a facsimile with an attached F code containing a subaddress registered in the first corresponding table;

a second corresponding table which contains registered processing corresponding to a facsimile with an attached F code having a subaddress not registered in the first corresponding table;

a second storage box which stores image data of the facsimile with an attached F code having a subaddress not registered in the first corresponding table;

a receiving section which receives a facsimile via a communication circuit;

a temporary storage section which temporarily stores the facsimile received by the receiving section;

a first deciding section which decides whether or not any F code is contained in the facsimile stored in the temporary storage section;

a second deciding section which, if an F code is contained in the facsimile, decides whether or not a subaddress in the F code is registered in the first corresponding table;

a storage section which, if the subaddress in the F code is not registered in the first corresponding table, stores the image data of the facsimile stored in the temporary storage section into the second storage box; and

a performing section which performs processing registered in the second corresponding table,

wherein the processing corresponding to the subaddress includes bulletin board processing for allowing the stored image data to be accessible without a limit and the processing registered in the second corresponding table constitutes the bulletin board processing,

wherein the password is registered in the first corresponding table in a way to correspond to the subaddress and, if the password is contained in the F code, the second deciding section decides whether or not the password in the F code is registered in the first corresponding table and, if the password in the F code is not registered in the first corresponding table, the storage section stores image data of the facsimile in the second storage box, and the performing section performs the bulletin board processing and the image data is allowed to be accessible without a limit irrespective of the password.

8.-9. (Cancelled).

10. (Currently amended) ~~A method according to claim 8,~~ A receiving data processing method for use in a communication terminal apparatus for receiving a facsimile with an attached F code containing a subaddress and performing processing corresponding to the subaddress, comprising:

receiving a facsimile via a communication circuit;

deciding whether or not any F code is contained in the received facsimile;

if an F code is contained in the facsimile, deciding whether or not a subaddress in the F code is registered in a first corresponding table;

if the subaddress in the F code is registered in the first corresponding table, storing image data of the facsimile in a storage box of a plurality of first storage boxes which corresponds to the subaddress and performing the processing corresponding to the subaddress; and,

if the subaddress of the F code is not registered in the first corresponding table, storing image data of the facsimile in a second storage box and performing predetermined processing registered in a second corresponding table different from the first corresponding table,

wherein said first corresponding table allows a password to be registered in a way to correspond to the subaddress, and further comprising the steps of, if a password is contained in the F code of the received facsimile, deciding whether or not the password is registered in said first corresponding table and, if the password is not registered in said first corresponding table, storing the image data of the received facsimile in the second storage box.

11. (Currently amended) ~~A method according to claim 9,~~ A receiving data processing method for use in a communication terminal apparatus for receiving a facsimile with an attached F code containing a subaddress and performing processing corresponding to the subaddress, comprising:

receiving a facsimile via a communication circuit;

deciding whether or not any F code is contained in the received facsimile;

if an F code is contained in the facsimile, deciding whether or not a subaddress in the F code is registered in a first corresponding table;

if the subaddress in the F code is registered in the first corresponding table, storing image data of the facsimile in a storage box of a plurality of first storage boxes which corresponds to the subaddress and performing the processing corresponding to the subaddress; and,

if the subaddress of the F code is not registered in the first corresponding table, storing image data of the facsimile in a second storage box and performing predetermined processing registered in a second corresponding table different from the first corresponding table,

wherein the communication terminal apparatus is connected via a network to a network server and said predetermined processing constitutes network retaining processing for retaining the received facsimile via the network in said network server,

wherein said first corresponding table allows a password to be registered in a way to correspond to the subaddress, and further comprising the steps of, if a password is contained in the F code of the received facsimile, deciding whether or not said password is registered in said first corresponding table and, if said password is not registered in said first corresponding table, storing the image data of the received facsimile in the second storage box wherein the image data is retained in the network server irrespective of said password.